


# XMP Metadata Support in PDFlib Products



 **PDFlib®** Whitepaper

## XMP Metadata

### The importance of metadata

The term metadata literally means »data about data«. Metadata has been described as the business card of a particular digital document. Metadata often comprises a set of properties, where each property has specific meaning in the context of the document. Some examples for common metadata properties:

- ▶ The author of a PDF document.
- ▶ The date a PDF document was created or a JPEG image was taken with a camera.
- ▶ The name of the photographer who took an image.
- ▶ The serial number of a personalized document.
- ▶ The GPS position where an image was taken.
- ▶ The stockkeeping unit (SKU) of the item described in a document.
- ▶ The year of manufacture of the engineering product described in a document.
- ▶ The reference number of a document in a legal case.

As an increasing number of publishing, documentation, translation, and other workflows are implemented in a completely digital manner, metadata plays a crucial role for handling digital documents during their lifetime.

### Adobe's Extensible Metadata Platform (XMP)

As Adobe recognized the need for a common metadata format which can be used across applications and file formats, they designed the Extensible Metadata Platform (XMP). This is an XML-based format modelled after W3C's RDF (Resource Description Framework) which forms the foundation of the semantic Web initiative. In 2012 XMP has been standardized as ISO 16684-1:2012.

XMP metadata travels with the file, and can be embedded in many common file formats including PDF, TIFF, and JPEG. Metadata properties are grouped in schemas. Each schema is identified by a unique namespace URI and holds an arbitrary number of properties.

The XMP specification includes more than a dozen predefined schemas with hundreds of properties for common document and image characteristics. The most widely used predefined XMP schema is called the Dublin Core, or *dc*. It includes general properties such as *Title*, *Creator*, *Subject*, and *Description*. In addition to predefined schemas, custom schemas can be defined to cover company- or industry-specific metadata requirements. The Dublin Core has been standardized as ISO 15836.

XMP for PDF documents has been introduced with Acrobat 5 and PDF 1.4 in 2001. The predecessor of XMP in PDF was formed by simple key/value pairs, so-called document info entries, which served as the sole carrier of metadata prior to the introduction of XMP. While document info entries are still supported in Acrobat and PDF, XMP metadata is a much more powerful concept and allows metadata to survive format conversions, e.g. from scanned TIFF to PDF. Note that old-style document info entries will be declared as deprecated in favor of XMP metadata in the forthcoming PDF 2.0 standard ISO 32000-2.

XMP is implemented in all Adobe publishing products and supported by dozens of independent software vendors and user groups. Adobe Bridge, part of the Creative Suite, deals with XMP metadata in various file formats. XMP metadata can be displayed and edited in the *File Info/Document Properties* panel in Acrobat (*File, Properties..., Additional metadata...*), in Photoshop, InDesign, and other Adobe applications.

### XMP for verticals

XMP is increasingly used by various industries to cover their metadata requirements. Some examples:

- ▶ The AdsML consortium creates specifications and processes for the exchange of advertising information and content.
- ▶ The International Press Telecommunications Council (IPTC) is a consortium of the world's major news agencies. It develops industry standards for the interchange of news data. It published the »IPTC Core« XMP schema which is widely used for transferring metadata for images and other data types.
- ▶ The DICOM standard for exchanging medical images supports the use of PDF and specifies a custom XMP schema for storing patient data, study description, equipment details, and other metadata.
- ▶ The Publishing Requirements for Industry Standard Metadata (PRISM) defines a metadata vocabulary for processing magazine, news, catalog, book, and journal content.

### XMP mandated by ISO standards

There are various ISO standards which specify PDF subsets for certain application domains, such as the graphic arts industry, archiving, or engineering. Except for the old prepress standards PDF/X-1 and PDF/X-3 which have been introduced in 2001 and 2002, all ISO standards for PDF include the use of XMP metadata (even mandatory in most cases except ISO 32000). Unless mentioned otherwise all standards are based on XMP 2005:

- ▶ PDF/A-1 in ISO 19005-1 (published 2005): »Electronic document file format for long-term preservation – Use of PDF 1.4«. PDF/A-1 requires XMP for identifying conforming files and supports custom metadata through XMP extension schemas. XMP support in PDF/A-1 is based on the XMP 2004 specification.
- ▶ PDF/A-2 in ISO 19005-2 (published 2011): »Electronic document file format for long-term preservation – Part 2: Use of ISO 32000-1 (PDF/A-2)«
- ▶ PDF/A-3 in ISO 19005-3 (published 2012): »Electronic document file format for long-term preservation – Part 3: Use of ISO 32000-1 with support for embedded files (PDF/A-3)«
- ▶ PDF/E-1 in ISO 24517-1 (published 2008): »Engineering document format using PDF – Use of PDF 1.6«. XMP support in PDF/E is almost identical to PDF/A-1, except that it is based on the newer XMP 2005 specification.
- ▶ PDF/X-4 in ISO 15930-7 (published 2008, revised 2010): »Complete exchange of printing data (PDF/X-4) and partial exchange of printing data with external profile reference (PDF/X-4p) using PDF 1.6«. Similar to the PDF/A-1 standard, XMP is required to express standards conformance to PDF/X-4.
- ▶ PDF/X-5 in ISO 15930-8 (published 2008, revised 2010): »Partial exchange of printing data using PDF 1.6 (PDF/X-5)«. PDF/X-5 documents reference other PDF/X documents, where the target of such a reference is identified by using various XMP entries. This makes XMP a crucial component of PDF/X-5.
- ▶ ISO 32000-1 (published 2008): »Document management – Portable document format – PDF 1.7«. ISO 32000 is the standardized version of PDF 1.7. The technical content is identical to PDF 1.7 (the file format of Acrobat 8) which fully supports XMP metadata.
- ▶ PDF/VT in ISO 16612 (published 2010): »Variable data exchange – Part 2: Using PDF/X-4 and PDF/X-5 (PDF/VT-1 and PDF/VT-2)«
- ▶ PDF/UA-1 in ISO 14289-1 (published 2012): »Document management applications – Electronic document file format enhancement for accessibility - Part 1: Use of ISO 32000-1 (PDF/UA-1)«
- ▶ ISO 32000-2 (draft 4 dated July 2016, still in the standardization process as of 2017): »Document management – Portable Document Format – PDF 2.0«. PDF 2.0 will deprecate old-style document info entries (with the exception of the *CreationDate* and *ModDate* entries) in favor of XMP metadata.

## XMP support in PDFlib GmbH products

### XMP support in the PDFlib product family

Simple XMP support has been introduced in the PDFlib product family in 2004. With the introduction of PDF/A support in 2006 the XMP features were expanded to match the requirements of PDF/A. In particular, automatic synchronization of document info entries to XMP properties (as specified in the PDF/A crosswalk) was implemented, as well as automatic creation of several internal XMP properties required for PDF/A. As a result, PDFlib users can generate XMP for PDF/A without having to struggle with the internals of the XMP format. Advanced users can directly feed all of the predefined XMP metadata schemas to PDFlib for inclusion in the generated PDF documents. Since PDFlib is available on all relevant operating systems and does not require any third-party products, it brings XMP support to all platforms.

On top of this, PDFlib adds support for XMP extension schemas according to PDF/A. Users can embed extension schema descriptions for custom metadata as required by PDF/A. Since PDFlib validates user-supplied XMP extension schemas and the corresponding descriptions for internal consistency and standards conformance the output is guaranteed to conform to the PDF/A standard.

This feature made PDFlib the first product worldwide to support XMP extension schemas for PDF/A. More details on XMP in PDF/A can be found on [www.pdflib.com](http://www.pdflib.com).

In addition to document-related XMP the PDFlib product family also supports object-level XMP. For example, page-based XMP may carry custom processing information for that page, image-level XMP holds intellectual property information for licensed images, etc.

### Searching for XMP metadata with PDFlib TET PDF IFilter

TET PDF IFilter implements Microsoft's IFilter interface and can be used with various Microsoft and third-party desktop and enterprise search products, such as Windows Search, Microsoft SharePoint, FAST Search, or SQL Server. XMP support in TET PDF IFilter makes it very easy to leverage XMP metadata in environments where Microsoft search solutions are deployed.

The advanced metadata implementation in TET PDF IFilter supports the Windows property system for metadata. In addition to page contents it indexes XMP metadata as well as standard or custom document info entries. Metadata indexing can be configured on several levels:

- ▶ Document info entries and common XMP properties are mapped to standard Windows properties, e.g. *Title, Subject, Author*.
- ▶ TET PDF IFilter adds useful PDF-specific pseudo-properties, e.g. page size, PDF/A conformance level, font lists.
- ▶ All relevant predefined XMP properties can be searched, e.g. *dc:rights, xmpRights:UsageTerms, xmp:CreatorTool*.
- ▶ Custom (user-defined) XMP properties can be searched, e.g. company-specific classification.
- ▶ In addition to document metadata, XMP attached to images can also be indexed, e.g. the name of the photographer of an image or copyright information.

TET PDF IFilter optionally integrates metadata in the indexed raw text. As a result, even full-text search engines without metadata support (e.g. SQL Server) can search for metadata.

### Injecting XMP in PDF with PDFlib PLOP and PLOP DS

In addition to various other features including encryption, decryption, optimization, and digital signature, PDFlib PLOP and PLOP DS can insert XMP metadata in existing PDF documents. This function comes handy in situations where PDF documents do not contain all required metadata properties. It is especially useful in PDF/A workflows since XMP support in PLOP and PLOP DS is PDF/A-aware. For example, custom XMP with extension schemas can be injected in PDF/A documents from workflows which do not support extension schemas.

### Extracting XMP from PDF with PDFlib pCOS

The pCOS interface is PDFlib GmbH's method for retrieving all kinds of information from PDF documents. It is available as a stand-alone product, and also integrated in several other products. pCOS offers a simple programming method for extracting XMP metadata from PDF documents. XMP metadata is normalized to Unicode so that users don't have to worry about encoding issues.

XMP retrieval works regardless of compression, encryption, and PDF object structure. While the XMP package mechanism defined by Adobe allows easy inclusion and retrieval of XMP data packages in various file formats, the PDF format exhibits several subtleties which complicate the issue. For example, PDF documents may contain several update sections which cause multiple instances of an XMP stream

### Workflow scenarios which benefit from XMP-based document search

to be present in the file, where only one of these instances is relevant. A simple text search for the XMP block will likely retrieve the wrong instance; only software which follows the PDF object structure will retrieve the correct XMP metadata block in all cases.

XMP metadata handling can be integrated in diverse scenarios which require searching digital documents. Two typical examples are described below.

*Publishing:* Creative professionals use Adobe and other publishing software to create documents and metadata interactively. They assign keywords, author name, copyright information and other common XMP properties to documents. They can use Adobe Bridge to search or group documents according to the assigned metadata properties, and are focused on common XMP schemas such as Dublin Core and IPTC.

*Technical documentation:* A large number of documents is created manually or automatically, and collected in departmental or company-wide collections. These document collections are accessed via common Windows retrieval tools, such as Microsoft SharePoint on server systems, Windows Search on workstations, or other retrieval products. After attaching TET PDF IFilter to these products users can search for documents based on XMP metadata properties, the actual page contents, or even image properties. While predefined XMP schemas cover the basic requirements, customized XMP schemas can be used in the queries to cover company-specific requirements.



#### PDFlib GmbH

Franziska-Bilek-Weg 9  
80339 München, Germany  
phone +49 • 89 • 452 33 84-0  
support@pdflib.com  
[www.pdflib.com/knowledge-base/xmp-metadata](http://www.pdflib.com/knowledge-base/xmp-metadata)

PDFlib GmbH is completely focused on PDF technology. Customers worldwide use PDFlib products since 1997. The company closely follows development and market trends, such as ISO standards for PDF. PDFlib GmbH products are distributed all over the world with major markets in North America, Europe, and Japan.